



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/802,326	03/17/2004	Bob McGuire	15912/09035	3733
27530	7590	06/02/2006	EXAMINER	
NELSON MULLINS RILEY & SCARBOROUGH, LLP 1320 MAIN STREET, 17TH FLOOR COLUMBIA, SC 29201			SMITH, MATTHEW J	
			ART UNIT	PAPER NUMBER
			3672	

DATE MAILED: 06/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/802,326	Applicant(s) MCGUIRE ET AL.	
	Examiner Matthew J. Smith	Art Unit 3672	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 May 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4,7-9,15-22,24 and 26-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1,3,4,7-9,15-21 and 29-38 is/are allowed.
- 6) ☒ Claim(s) 22,24,26 and 27 is/are rejected.
- 7) ☒ Claim(s) 28 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input checked="" type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. <u>20060523</u> . |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____. | 6) <input type="checkbox"/> Other: _____. |

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 22, 24, 26, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Begg (1988442) in view of Bigbie et al. (4541490) and Dallas (5540282).

Begg discloses method of installing a wellhead comprising: securing successive tubular heads to the wellhead using a threaded union 35, 54; an intermediate head spool 14 threadedly secured to a wellhead, at 15; the tubing head spool 14 threadedly secured to the intermediate head spool; securing each successive tubular head by securing each tubular head using a hammer union; landing slips 18, 39 onto a casing bowl of a wellhead; landing an annular seal plate 23 over the slips; locking down the seal plate using a packing nut 29; and suggests installing a flow control stack (page 2, col. 1, line 33) but not a production valve, securing a flow-control stack to the wellhead using a flanged connection, the flow-control stack flanged to a top flange of a tubing head spool or wellhead, or successive heads having a higher working pressure than the head below.

Bigbie et al. depict a production valve (col. 4, line 23) and a flow-control stack with a flange to connect a top flange of a tubing head spool (fig. 4).

Dallas '282 teaches successive heads having a higher working pressure than the head below (Fig. 2).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to use a production valve in the Begg Christmas tree and connect the spool or wellhead to the Christmas tree with a flanged connection, as depicted by Bigbie et al., plus successive heads having a higher working pressure than the head below, as taught by Dallas '282, in order to control pressure, secure two well parts together, and it is well known (i.e., prior art), respectively.

Allowable Subject Matter

Claims 1, 3, 4, 7-9, 15-21, and 29-38 are allowed.

Claim 28 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments, see page 10, filed 10 February 2006, with respect to the rejections of claims 1, 3, 4, 7-9, and 15-21 under 35 U.S.C. 102 and 103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Dallas '282. The examiner contends the amendment to claim 22 is obvious because the method of installing is disclosed in Begg, the modification depicted in Bigbie et al., and the pressure rating of successive heads taught by Dallas '282.

Conclusion

Applicant's amendment necessitated the new rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew J. Smith whose telephone number is 571-272-7034. The examiner can normally be reached on T-F, 9-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Bagnell can be reached on 571-272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3672

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



David Bagnell
Supervisory Patent Examiner
Art Unit 3672

MJS
17 March 2006